GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 16023-30, *dated 2nd April* 1936.

To

The Firms dealing in Maps and Charts.

Enquiry No. 1766.

LIST NO. M.I.M. 35-4—MAPS AND CHARTS.

DEAR SIR—GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be supersrcibed "Quotations for Maps, Charts, etc., required for the Intermediate College, Mysore" with the above enquiry number.

This enquiry will be closed on the 16th April 1936.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
			Mysore.	
1	Clock face, 15″ diameter with movable brass hands	1		
2	Compass on cloth (Roller arrangement) ..	1		
3	Astronomy Diagram sheets of the following (size 50″× 41″ each) .. .. .. (i) The Solar System. (ii) Illustrations. (iii) Celestial objects (iv) Map of the heavens.	4 (1 each)		
4	The new graphic map exhibiting the true method of delinea ting the form of the globe and of making measurements of distance between any points on its surface	1		
5	The XXth Centuary Atlas of Popular Astronomy.			

No. S. P. C. 16016, *dated* 30*th March* 1936.

To

The Firms dealing in Filters.

Enquiry No. 1768.

PRESSURE FILTERS.

DEAR SIR—GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed overleaf and specification given below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being

made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Pressure Filters," with the above enquiry number.

This enquiry will be closed on the 11th May 1936.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Two Pressure Filters with a capacity of 4,500 gals. per hour against 200 ft. head (size about 90" dia.) with complete fittings, such as various valves, air relief valves, with drain connections, etc., complete The Filtering media need not be supplied. (Detailed specifications of the filters are noted below).	Two	Mandya.	

Specifications for two Pressure filters for Mandya Water Works.

Each pressure filter should be capable of discharging 4,500 gallons per hour against 200 ft. head (probable size 90" diameter). The pressure filter should consist of a steel shell made of best British manufactured steel plates or suitable thickness. The end plates should be slightly thicker than the body plates, these being in turn flanged and dished in one piece each hydraulically double riveted to stand a working pressure of 200 feet head. The shell should rest on proper bases of suitable material and should be equipped with a manhole and cover making a perfect joint. The shell should be provided with a hand hole and a suitable cover about 6" diameter at a convenient place to draw out the sand and gravel in case of necessity. There must be a small hole and plug on the top plate to gauge the depth of sand now and then.

The inside of the shell should be painted with an approved anti-corrosive paint and outside with a coat of white lead.

The internal piping should be of heavy gauge and should be much thicker than the normal ones. Suitable tees and elbows and branch laterals, etc., should also be provided for. These should be securely packed separately to facilitate easy handling.

Suitable straines with ample facilities for cleaning ,etc., should be provided for in the shell. The strainers should be capable of being easily dismantled and refitted. They should be so designed as to give a perfectly downward flow of wash water and to completely exclude sand from the underdrain system.

The filter should be equipped with all heavy close grained flanged external C.I. piping and should be provided with suitable valves with chromium plated hand wheels with direction indicators. It should also be equipped with a self regulating coagulant feed apparatus with the arrangement for shutting off whenever necessary. Air relief valve with drainage arrangement should also be provided for, for each filter.

Suitable wash indicators and pressure gauges and sight glass should also be included. The gauge with its connections should all be chromium plated and provision should be made for drawing out samples of filtered and unfiltered water.

The filter should be of sectional wash high velocity type or any other type equal to it in effect. It may be noted that raw water from the Irwin Canal will be pumped by centrifugal pump directly through the pressure filters into the elevated tank 3,000 feet away.

All the parts necessary to form the complete equipment with joints, bolts, nuts, washers, etc., should be sent well packed with two sets of complete working drawings.

No. S. P. C. 16333-40, *dated 1st April* 1936.

To

The Firms dealing in Laboratory Materials.

Enquiry No. 1786.

DEAR SIR—GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the schedule, given below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Laboratory Materials to Zenana Normal School," with the above enquiry number.

This enquiry will be closed on the 16th April 1936.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
			Mysore.	
1	Lactometer with test jars	2		
2	Capillary apparatus	1		
3	Grave Sanoes Ring and ball	1		
4	Set of six lenses, 1½" diameter	1		
5	Horn lens triple maginifier, 1" diameter ..	2		
6	Woulff's bottles 250 c.c.	2		
7	Flasks-round bottom— 100 c.c	3		
	Do 50 c.c.	3		
8	Crucibles with lids, China clay, capacity—20 ..	3		
9	Cork Pressure circular pattern	1		
10	Covers for jars diameter 50	6		
	Do 75	6		
11	Retorts—Jena glass	2		
12	Glass tubing, 6 to 25 mm.	1 lb.		
13	Watch glasses, Nontra Hard glass, dia. 60 ..	6		
14	Wire gauge of steel	1 sq. ft.		
15	Mariner's compass	1		
16	Pocket voltameter and ammeter combined ..	2		
17	Ebonite rods—12"×¾"	2		
18	Glass rods 12"×¾"	2		
19	Sulphur rods 12"×¾"	2		
20	Hydrostatic balance with 2 long and 1 short pans	1		
21	Evaporating basins with lip. 9 c.c.	3		

Yours faithfully,
V. VEDAVYASACHARYA,
Secretary,
Stores Purchase Committee.

Statement of rate contracts placed by the Stores Purchase Committee, Bangalore, from 24th January 1936 to 18th February 1936.

Indent & Enquiry No.	Description of material	Name of firm	Value of contract
			Rs. a. p.
Local. 3401	Agfa Super Special X-Ray films blue safety base, clear and matt double wrapped, size, 17×14″		29 1 0 doz. f.o.r., Bangalore or Mysore.
1580	15×12″ ..		22 4 0 ,, do
	12×10″ ..		14 14 0 ,, do
	10×8″ ..		9 9 0 ,, do
	8½×6½″ ..		6 9 0 ,, do
	6½×4¾″ ..		4 11 0 ,, do
	6½×4¼″ ..		4 0 0 ,, do
	Agfa Super special X-Ray films blue safety base, clar and matt with 1 extra envelope for each film, size 17×14″		27 11 6 ,, do
	12×15″ ..	Messrs. International General Electric Co., Bangalore City.	21 4 0 ,, do
	10×12″ ..		14 4 0 ,, do
	8×10″ ..		9 3 0 ,, do
	6½×8½″ ..		6 9 0 ,, do
	6½×4¼″ ..		4 4 0 ,, do
	Agfa X-Ray Dental films, 3×4 cm. 1¼×1⅝″ ..		1 13 0 ,, do
	4×5 cm. 2×1½″ ..		3 0 0 ,, do
	Agfa colour plates 9×12 cm. size per packet of 4.		4 8 0 ,, do
	Do per dozen ..		13 8 0 ,, do
	Victor X-Ray Film Devcloper No. 3		8 5 0 tin do
	Regulator type X-Ray developer ..		5 5 0 ,, do
	Victor X-Ray Hypo Acid Alum No. 5		5 12 0 ,, do
	Regulator type of acid fixing salt ..		4 9 0 ,, do
3413	Pipes, W.I., in standard lengths ¾″ ..	Messrs :— Gulamali Abdul Husein & Co., Madras.	0 1 8 ft. f.o.r., Bangalore
1501	1″ ..		0 1 11 ,, do
	1¼″ ..		0 2 8 ,, do
	1½″ ..		0 3 3 ,, do
	2″ ..		0 4 6 ,, do
	2½″ ..		0 7 6 ,, do
	3″ ..		0 8 3 ,, do
	Tool Steel (round, square and Octagonal) of all sizes from ¼″ to 3″.		11 8 0 cwt. do
	Fencing, barbed wire ..		9 8 0 roll of 1 cwt. do
	Rope, Manilla, ½″ to 1½″ ..		22 8 0 cwt. do
	Do 2″ cable laid ..		28 0 0 ,, do
	Double tin sheets of sizes ..	A. Abdul Shukoor & Co., Bangalore.	0 4 6 lb. do
	Buckets, G.I. revetted 12″ ..	Munisami Singh & Bros., Bangalore.	0 7 6 each do
	Do 14″ ..		0 10 0 ,, do
	Valves, sluice, C.I. with tail pieces, 2″		25 13 0 set do
	2½″		28 14 0 ,, do
	3″		31 8 0 ,, do
	4″		44 6 0 ,, do
	5″		59 2 0 ,, do
	6″	Glenfield & Kennedy, Ltd., Bombay.	69 12 0 ,, do
	7″		90 14 0 ,, do
	8″		110 5 0 ,, do
	9″		134 0 0 ,, do
	10″		157 8 0 ,, do
	12″		240 4 0 ,, do
	14″		383 13 0 ,, do
	15″		444 0 0 ,, do
	16″		493 6 0 ,, do
	Bibcocks, waste-not ½″ ..	The Superintendent, Central Industrial Workshop, Bangalore.	9 0 0 each do
	Pipes, Galvd. (S. & L.), ¼″ ..		0 1 5 R.ft. do
	⅜″ ..		0 1 8 ,, do
	½″ ..		0 1 4 ,, do
	¾″ ..		0 1 7 ,, do
	1″ ..	K. V. Acharya & Co., Bangalore City.	0 2 1 ,, do
	1¼″ ..		0 3 9 ,, do
	2″ ..		0 5 0 ,, do
	2½″ ..		0 7 9 ,, do
	3½″ ..		0 10 9 ,, do
	3″ ..		0 8 10 ,, do
	4″ ..		0 13 4 ,, do

Indent & Enquiry No.	Description of material	Name of Firm	Value of contract
Local.		Messrs.—	Rs. a. p.
	Pipe galvd. (S. & L.) 2¼″ ..	Hajee Abdul Shukoor & Sons., Bangalore City.	0 9 6 R.ft. f.o.r., Bangalore
	Bibcock brass, screwn down, heavy pattern, ½″	Do ..	0 15 0 each do
	¾″ ..	Do ..	1 5 0 ,, do
	1″ ..	Do ..	1 14 0 ,, do
	Bibcock Waste not ½″ ..	Do ..	9 8 0 ,, do
	1″ ..	Do ..	12 0 0 ,, do
	Push-cocks, C.I. ½″ ..	Do ..	1 12 0 ,, do
	¾″ ..	Do ..	3 0 0 ,, do
	1″ ..	Do ..	3 2 0 ,, do
	Gland-cock, gun-metal, heavy quality ½″	Do ..	1 5 0 ,, do
	¾″ ..	Do ..	1 8 0 ,, do
	1″ ..	Do ..	2 0 0 ,, do
	Gland-cock, gun-metal 1½″ ..	Do ..	4 1 0 ,, do
	2″ ..	Do ..	5 8 0 ,, do
	2½″ ..	Do ..	9 8 0 ,, do
	3″ ..	Do ..	16 4 0 ,, do
	Push cocks, C.I., ¾″ ..	Do ..	3 0 0 ,, do
	Plug-cock, brass, B.M. make, ¾″ ..	Do ..	1 5 9 ,, do
	Spindle rod, brass for W.N. bibcocks	Do ..	0 5 0 ,, do
	Spring, brass for do ..	Do ..	0 3 9 ,, do
	Brass valve rod or pressure spindles ..	Do ..	0 12 6 ,, do
	Expanded metal ¾″ mesh, 12′×8×½″×1/16″.	Do ..	8 12 0 roll do
	Do 3″ mesh do ..	Do ..	8 0 0 ,, do
	Crow bars, steel, of sizes 1¼″ to 3″ in standard lengths	Do ..	8 12 0 cwt. do
	Mortar Pans 16″ and 15″ ..	Do ..	0 8 0 each do
	Muntz metal rod ¼″ to 3″ in standard length.	Do ..	39 0 0 cwt. do
	Steam pressure pipes, ½″ ..	Do ..	0 2 3 ft. do
	¾″ ..	Do ..	0 2 9 ,, do
	1″ ..	Do ..	0 3 6 ,, do
	1¼″ ..	Do ..	0 5 6 ,, do
	1½″ ..	Do ..	0 6 6 ,, do
	2″ ..	Do ..	0 8 6 ,, do
	Expanded metal ½″ mesh, 12′×8′=1/16″	M. N. Hussen & Co., Bangalore	8 8 0 roll do
	Do 1″ mesh ⅛″ & 1/16″×12′×8′	Do ..	8 8 0 ,, do
	Do 1½″ ,, do ..	Do ..	8 0 0 ,, do
	Do 2″ ,, do ..	Do ..	8 12 0 ,, do
	Centrifugal packing, ⅛″, ¼″, ½″ & ⅝″ ..	Do ..	0 14 0 lb. do
	Wire netting G.I. wove, 22″×22″ mesh	Do ..	0 1 8 s.ft. do
	Do 16″×16″ ..	Do ..	0 1 6 ,, do
	Tool steel, air hardening of sizes ¼″ to 1½″ round and square.	Do ..	154 0 0 cwt. do
	Bolts and nuts, hexagonal of sizes (Iron), ½″ to 1″ thickness from 1½″ to 12″ long.	Do ..	14 4 0 ,, do
	Mumties ..	Do ..	0 15 0 each do
	Pick-axes ..	Do ..	0 14 0 ,, do
	Steel C.N.L. ranging from 1″ to 8″ dia. round Poldi's.	Do ..	75 0 0 cwt. do
	Rope cotton, ½″ to 1″ ..	Do ..	0 5 0 lb. do
	Pipe galvd. (S. & L.), ⅜″ ..	Richardson & Cruddas, Madras	0 1 3 R.ft. do
	Valves, sluice C.I. with tail pieces, 2″	Do ..	22 10 0 each do
	2½″	Do ..	24 14 0 ,, do
	3″	Do ..	28 0 0 ,, do
	4″	Do ..	36 4 0 ,, do
	5″	Do ..	55 0 0 ,, do
	6″	Do ..	56 14 0 ,, do
	7″	Do ..	75 12 0 ,, do
	8″	Do ..	89 12 0 ,, do
	9″	Do ..	118 8 0 ,, do
	10″	Do ..	145 8 0 ,, do
	12″	Do ..	192 8 0 ,, do
	Bends, galvd., iron, ½″ ..	Steel Co., Bangalore City ..	0 4 0 ,, do
	¾″ ..	Do ..	0 4 0 ,, do
	1″ ..	Do ..	0 4 6 ,, do
	1¼″ ..	Do ..	0 6 0 ,, do
	1½″ ..	Do ..	0 8 6 ,, do
	2″ ..	Do ..	0 12 0 ,, do
	2½″ ..	Do ..	1 6 0 ,, do
	3″ ..	Do ..	2 12 0 ,, do
	4″ ..	Do ..	4 12 0 ,, do
	Rod iron, M.S. of sizes ..	Do ..	From Rs. 7-2-0 to Rs. 8-2-0 cwt. f.o.r., Bangalore, according to esizs.
	Square bars, M.S. of sizes ..	Do ..	From Rs. 7-2-0 to Rs. 8-2-0 cwt. f.o.r., Bangalore, according to sizes.
	Iron sheet, M.S. of sizes ..	Do ..	From Rs. 7-10-0 Rs. 8-10-0 cwt. f.o.r., Bangalore, according to sizes.

Indent & Enquiry No.	Description of material	Name of Firm	Value of contract
Local.		Messrs.—	Rs. a. p.
	Pots, galvd., small ..	Steel Co., Bangalore City ..	8 8 0 doz. f.o.r., Bangalore.
	Do big ..	Do ..	12 0 0 ,, do
	Sheets, corrugated, G.I. of sizes, 14 to 26 gauges.	Do ..	10 8 0 to Rs. 11-12-0 cwt. f.o.r., Bangalore according to gauges.
	Sheets, plain, G.I. of sizes, 14 to 26 gauges.	Do ..	From Rs. 11-0-0 to Rs. 12-5-0 cwt. f.o.r., Bangalore, according to gauges.
	Angles, M.S. of sizes, B.S.S. Tatas ..	Do ..	From Rs. 7-2-0 to Rs. 8-4-0 cwt. f.o.r., Bangalore, according to sizes.
	Flats, M.S. of sizes, B.S.S. Tatas ..	Do ..	From Rs. 7-2-0 to Rs. 8-0-0 cwt. f.o.r., Bangalore, according to sizes.
	Tees, M.S. of sizes, B.S.S Tatas ..	Do ..	From Rs. 7-10-0 to Rs. 8-4-0 cwt f.o.r., Bangalore, according to sizes.
	Channels, M.S. of sizes, B.S.S. Tatas .	Do ..	From Rs. 7-10-0 to Rs. 8-4-0 cwt. f.o.r., Bangalore, according to sizes.
	Girders, B.S.S. Tatas, Continental & Dorman Long.	Do ..	From Rs. 7-6-0 to Rs. 8-10-0 cwt. f.o.r., Bangalore according to sizes.
	Hoop iron of sizes, $\frac{3}{4}'' \times 5 \times 16''$ ..	Do ..	8 4 0 cwt. f.o.r, Bangalore.
3423	Oil Linseed, raw, genuine to I.S.D. Specification.	Wilson & Co., Madras ..	1 10 0 gal. f.o.r., Bombay.
1585	Oil Linseed, raw, Cage brand ..	Do ..	1 5 0 ,, do
	Oil Linseed, raw, pale boiled to I.S.D. Specification.	Do ..	1 14 0 ,, do
	Oil Linseed, raw, pale boiled, Cage Brand.	Do ..	1 6 0 ,, do
	Paint, Red Royal Mail, ready mixed	Shalimar Paint Colour & Varnish Co., Madras.	21 8 0 cwt. f.o r., Bangalore.
	Turpentine, GenuineNo. 1. ..	Do ..	20 12 0 per drum of 5 gal. f.o.r., Bangalore.
	Licquer red ..	Do ..	6 4 0 gal. f.o.r., Bangalore.
	Do green ..	Do ..	6 4 0 ,, do
	Enamel, white, Hoyle's, superior ..	Best & Co., Ltd., Madras ..	6 2 0 gal. do
	Red Corrugal ..	Do ..	3 13 0 ,, do
	Hoyle's Antisulphuric white ..	Do ..	6 12 0 ,, do
	Do black ..	Do ..	6 0 0 ,, do
	Do red ..	Do ..	6 12 0 ,, do
	Paint, Calcarium, brick red, white & Nile green.	Cooper & Co., Bombay ..	0 4 0 lb. do
	Paint, red lead powder to I.S.D. Specification, loose.	Do ..	0 5 0 lb. do
	Do in $\frac{1}{2}$ cwt. casks ..	Do ..	27 12 0 cwt. do
	Paint, whitelead powder to I.S.D. Specification, loose.	Do ..	0 5 0 lb. do
	Do in 2 cwt. cases ..	Do ..	27 12 0 cwt. do
	Paint, anticorrosive black solution ..	Do ..	2 4 0 gal. do
	,, Apexior, Ordinary for interior use	Do ..	20 0 0 ,, do
	,, ,, No. 3 for outside use	Do ..	16 8 0 ,, do
	Enamel, 'London' white, blue, red etc., in $\frac{1}{2}$ lb. tins.	M. N. Hussen & Co., Bangalore	0 10 0 tin do
	Enamel "Aspinal" in different colours in $\frac{1}{2}$ lb. tins.	Do ..	0 12 0 tin do
	Metal Polish, Brasso No. 6 ..	Do ..	0 9 0 ,, do
	Do Silvo ..	Do ..	0 9 0 ,, do
	Black Japan 'S' Mark ..	Do ..	5 0 0 gal. do
	Varnish Copal 'S' Mark ..	Do ..	5 0 0 ,, do
	Varnish Body, cock brand ..	Do ..	2 12 0 ,, do
	Wood Oil ..	Do ..	1 10 0 ,, do
	French Polish ..	Do ..	2 12 0 ,, do
	Lamp black ..	Do ..	0 3 6 lb. do
	Brushes, painting, round, circumference $\frac{1}{4}''$ to $3''$	Do ..	Re. 0-1-6 to Re. 1-0-0 each according to sizes, f.o.r., Bangalore.
	Brushes, painting, flat, $\frac{1}{2}''$ to $3''$ ..	Do ..	Re. 0-2-0 to Re. 0-10-0 each according to sizes, f.o.r., Bangalore.
	Paint Silver grey ready mixed ..	Binny & Co., Ltd., Madras ..	15 8 0 cwt. f.o.r., Bangalore.
	Do Chocolate do ..	Do ..	15 8 0 ,, do
	Do Zinc do ..	Do ..	18 0 0 ,, do
	Do Light Green do ..	Do ..	15 12 0 ,, do
	Do Dark Green do ..	Do ..	16 0 0 ,, do
	Do Red Oxide do ..	Do ..	14 8 0 ,, do
	Do White Silicate do ..	Do ..	6 0 0 gal. do
	Do Aluminium do ..	Do ..	8 0 0 ,, do
	Do "Gouremastic Bituminous solution, Chocolate"	Do ..	28 0 0 cwt. do

Indent & Enquiry No.	Description of material	Name of Firm	Value of contract
Local.		Messrs :—	Rs. a. p.
	Paint Gouremastic Bituminous solution, red.	Binny & Co.,Ltd., Madras ..	30 0 0 cwt. f.o.r., Bangalore.
	Do do Shelblack..	Do ..	30 0 0 ,, do
	Do Red for Tree marking ready mixed	Do ..	14 0 0 ,, do
	Enamel, white, 'Paripan'. ..	La Claire Electric Lamps Corporation, Bombay.	17 8 0 gal. do
	Paint, white lead ready mixed ..	Bangalore Whitelead Syndicate, Ltd., Bangalore City.	19 0 0 cwt. in 28 lb. kegs.do
			20 0 0 ,, in 14 lb. ,, do
	Do Red Signal, ready mixed ..	Do ..	19 0 0 in 28 lb. ,, do
			20 0 0 ,, in 14 lb. ,, do
	Do Dark blue, ready mixed ..	Do ..	19 0 0 ,, in 28 lb. ,, do
			20 0 0 ,, in 14 lb. ,, do
	Paint Dark Grey, ready mixed ..	Hadfields (India) Ltd., Calcutta	16 12 0 cwt. f.o.r., Bangalore
	Do slate colour do ..	Do ..	16 12 0 ,, do
	Paint 'Siderosthen,' Black ..	The Crompton Engineering Co., Ltd., Madras.	32 0 0 cwt. f.o.r., Bangalore
	Do do grey ..	Do ..	53 0 0 ,, do
3435	Paint, white lead moist to I.S.D. Specification No. GOP 114.	Shalimar Paint, Colour & Varnish Co., Ltd., Madras.	30 0 0 cwt. f.o.r., Mysore under R.M.C.
1576			
	Paint black moist GOP. 121 ..	Do ..	13 0 0 ,, do
	Do White lead dry genuine GOP. 12	Do ..	30 0 0 ,, do
	Do Red lead dry Genuine GOP 105	Do ..	22 0 0 ,, do
	Paint Red Oxide Moist, GOP. No. 118	Cooper & Co., Bombay ..	11 14 0 cwt. do
	,, Chocolate dark moist GOP. 119 .	Do ..	11 8 0 ,, do
	,, Middle Chrome green moist, GOP. 127.	Do ..	14 0 0 ,, do
	,, Black Japan, ready mixed ..	Do ..	2 11 0 gal. do
	,, Yellow ochre dry GOP. 112 ..	Do ..	4 14 0 cwt. do
	Turpentine, pure to I.S.D. Specification	Do ..	2 12 0 gal. do
	Paint Chocolate light moist GOP. 119	Binny & Co., Ltd., Madras ..	11 12 0 cwt. do
	Do Black enamel, GOP. 142 ..	Do ..	4 4 0 gal. do
	Paint, white enamel finishing, "Paripan".	La Claire Electric Lamps Corporation, Bombay.	17 0 0 gal. do
	Do Undercoating.	Do ..	15 8 0 ,, do
	Paint, Silica graphite, Black colour, Dixon's Ready mixed.	Crompton Engineering Co., (Madras), Ltd., Madras.	7 0 0 gal. f.o.r., Mysore.
	Paint Black "Siderosthen," anticorrosive, ready mixed.	Do ..	32 0 0 cwt. do
	Paint, black No. 98122 (of Messrs. Nobel Chemical Finishes, Ltd., Slough, Bucks).	Gillanders Arbuthnot & Co., Madras.	16 12 0 gal. f.o.r., Mysore.
	Paint Dark Chocolate No. 982995 ..	Do ..	16 12 0 ,, do
	Do Ivory white No. 983192 ..	Do ..	16 12 0 ,, do
	Do Purple Brown No. 982994 ..	Do ..	16 12 0 ,, do
	Do Groundcoat No. 719137 ..	Do ..	16 4 0 ,, do
	Do Pale Gold No. 98165 ..	Do ..	16 12 0 ,, do
	Do Clear No. 5019 ..	Do ..	13 12 0 ,, do
	Paint Duco.		
	Primer No. 4400 ..	Do ..	14 8 0 ,, do
	Filler No. A.F. 4362 ..	Do ..	15 0 0 ,, do
	Cleaning Solvent No. 3036 ..	Do ..	8 12 0 ,, do
	Putty glaze No. 4352 ..	Do ..	1 5 0 lb. do
	Hard putty No. 4354 ..	Do ..	1 5 0 lb. do
3460	Gunny bags new, 100 seers capacity .	A. Dasaratharamayya Setty, Bangalore City.	35 0 0 per 100 bags free delivery in Bangalore
1660	Do once used, 100 seers capacity Quality "A"	Do ..	27 8 0 do
	Do do do "B"	Do ..	19 8 0 do
	Do do do "C"	Do ..	19 0 0 do
	Do once used, 75 seers capacity, Quality "A"	Do ..	19 0 0 do
	Do do do "B"	Do ..	16 0 0 do

V. VEDAVYASACHARYA,
Secretary,
Stores Purchase Committee.